



FLEXCAB K0

CITROËN JUMPY - FIAT SCUDO - OPEL VIVARO - PEUGEOT EXPERT - TOYOTA PROACE



THE BEST OF BOTH WORLDS

The FlexCab offers you the best of both worlds. Whenever you can not make the choice between a Panel Van and a Crew Van, the FlexCab is your answer. From now on you decide yourself in any situation what combination you make in transporting goods and people.

FLEXCAB CONFIGURATIONS

Check which FlexCab is suitable for your vehicle

BASE VEHICLE IS EQUIPPED WITH:

	Standard/ Long
ROOF HEIGHT	
H1	•
SLIDING DOOR	
Sliding door right	•
Sliding door left	-
Sliding door left and right	•
Sliding door(s) electric	-
WINDOWS	
Factory fitted windows	•
No factory fitted windows	o
ENGINES	
Diesel	•
Electric	-
UPHOLSTERY FABRIC	
Fabric Curitiba (black/grey)	•

- Standard
- o Available with additional charge
- Not available

Configure online: customerportal.snoeks.com





MAXIMUM FLEXIBILITY

The ergonomically shaped rear bench with European approved safety belts allows you to transport up to six people at the same time. The passenger compartment is separated from the cargo area by a folding, high-strength partition wall with a metal safety grid.

When your work requires more loading space you can enlarge the cargo area by folding the bench forward. In that way the cargo area is substantially larger than a vehicle with a fixed Crew Cab.

SPECIFICATIONS AND OPTIONS

The FlexCab trimlevel that suits your needs

SEPARATION WALL AND SEATING

	Standard/Long
Metal partition wall	•
Three-Seater contoured bench, covered with cloth as front seats	•
Three-point safety belt	•
Headrest (three)	•

FLOOR



Brown anti-slip wooden floor in FlexCab compartment	•
---	---

- Standard
- o Available with additional charge
- Not available

Configure online: customerportal.snoeks.com



DIMENSIONS



EXTERIOR

	Standard	Long
Overall vehicle length	4956 mm	5308 mm
Wheelbase	3275 mm	3275 mm

FLEXCAB

Leg space to front cabin	280 mm	280 mm
Space headrest second seating row to front cabin*	835 mm	835 mm
Seating length	480 mm	480 mm
Seating height	430 mm	430 mm
Backrest inclination	22°	22°

LOADING COMPARTMENT

Cargo compartment length seat folded down	1500 mm	1850 mm
Cargo compartment length seat folded up	2018 mm	2367 mm
Volume cargo compartment (m3) seats folded down	3.2 m3	4.0 m3
Volume cargo compartment (m3) seats folded up	4.7 m3	5.5 m3

* Measured from center of driver seat in rear position

Total conversion weight: 100 kg
Conversion is available for vehicles from 2800 kg GVW

 info@snoeks.com

 www.snoeks.com

 +31 (0) 252 629 529

 Kunaweg 3, 2153 NC, Nieuw-Vennep, The Netherlands

Specifications, features, versions and prices are subject to change. Snoeks Automotive reserves the right to make interim changes to their products and the content of this publication. Consult the current price lists, product information and sales conditions on customerportal.snoeks.com.